

```
<Graph xmlns="http://schemas.datacontract.org/2004/07/Syncfusion.UI.Xaml.Diagram.Serializer"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
    - <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays">
        - <a:KeyValueOfstringanyType>
            <a:Key>Title</a:Key>
            <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">Page</a:Value>
        </a:KeyValueOfstringanyType>
        - <a:KeyValueOfstringanyType>
            <a:Key>PageDummy</a:Key>
        - <a:Value i:type="b:PageVM" xmlns:b="http://schemas.datacontract.org/2004/07/DiagramBuilder.ViewModel">
            <b:GridLines>true</b:GridLines>
            <b:HOffset>0</b:HOffset>
            <b:MultiplePage>true</b:MultiplePage>
            <b:PageHeight>793.70078740157487</b:PageHeight>
            <b:PageOrientation>Landscape</b:PageOrientation>
            <b:PageWidth>1122.5196850393702</b:PageWidth>
            <b:Ruler>true</b:Ruler>
            <b:Scale>1</b:Scale>
            <b:SelectedFormat>A4</b:SelectedFormat>
            <b:SelectedUnit>Pixels</b:SelectedUnit>
            <b>ShowPageBreaks>true</b>ShowPageBreaks>
            <b:SnapToGrid>true</b:SnapToGrid>
            <b:SnapToObject>true</b:SnapToObject>
            <b:VOffset>0</b:VOffset>
        </a:Value>
    </a:KeyValueOfstringanyType>
    </Attributes>
    - <Connectors>
        - <Connector>
            <ID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">e3572df8-70a2-46e3-
                b00c-88c2c1638e78</ID>
            <InternalID i:nil="true" />
            <Raw i:nil="true" />
            <Type>DiagramBuilder.ViewModel.ConnectorVM, DiagramBuilder</Type>
            <AnnotationColT>System.Collections.Generic.List`1[[Syncfusion.UI.Xaml.Diagram.Controls.IAnnotation,
                Syncfusion.SfDiagram.Wpf]], mscorelib</AnnotationColT>
        - <Annotations>
            - <Annotation>
                <ID i:nil="true" />
                <InternalID i:nil="true" />
                <Raw i:nil="true" />
                <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
                <Alignment>Center</Alignment>
                <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
                <Content i:nil="true" />
                <HorizontalAlignment>Center</HorizontalAlignment>
                <VerticalAlignment>Center</VerticalAlignment>
            </Annotation>
            - <Annotation>
                <ID i:nil="true" />
                <InternalID i:nil="true" />
                <Raw i:nil="true" />
                <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
                <Alignment>Center</Alignment>
                <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
                <Content i:nil="true" />
                <HorizontalAlignment>Center</HorizontalAlignment>
                <VerticalAlignment>Center</VerticalAlignment>
            </Annotation>
        </Annotations>
        - <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays">
            - <a:KeyValueOfstringanyType>
                <a:Key>SourceCap</a:Key>
                <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">M0,0 z</a:Value>
            </a:KeyValueOfstringanyType>
            - <a:KeyValueOfstringanyType>
                <a:Key>Decorator</a:Key>
                <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">M0,0 z</a:Value>
            </a:KeyValueOfstringanyType>
            - <a:KeyValueOfstringanyType>
                <a:Key>TargetCap</a:Key>
                <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">M0,0 L10,5 L0,10 L
                    0,0</a:Value>
            </a:KeyValueOfstringanyType>
            - <a:KeyValueOfstringanyType>
                <a:Key>Type</a:Key>
                <a:Value i:type="b:ConnectType"
                    <Value>None</Value>
                </a:Value>
            </a:KeyValueOfstringanyType>
        </a:KeyValueOfstringanyType>
    </Attributes>

```

```
    xmlns:b="http://schemas.datacontract.org/2004/07/DiagramBuilder.ViewModel">Orthogonal</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>StrokeDummy</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF7F7F7F</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>Thickness</a:Key>
    <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>DashDot</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">1, 0</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>Opacity</a:Key>
    <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>Label</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>FontSize</a:Key>
    <a:Value i:type="b:int" xmlns:b="http://www.w3.org/2001/XMLSchema">14</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>FontWeight</a:Key>
    <a:Value i:type="b:FontWeight" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>FontStyle</a:Key>
    <a:Value i:type="b:FontStyle" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>Bold</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>Italic</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>TextAlignment</a:Key>
    <a:Value i:type="b:TextAlignment"
        xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>LabelHAlign</a:Key>
    <a:Value i:type="b:HorizontalAlignment"
        xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>LabelVAlign</a:Key>
    <a:Value i:type="b:VerticalAlignment"
        xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>LabelMargin</a:Key>
- <a:Value i:type="b:Thickness" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">
    <b:Bottom>5</b:Bottom>
    <b:Left>5</b:Left>
    <b:Right>5</b:Right>
    <b:Top>5</b:Top>
</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>LabelBgDummy</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#00FFFFFF</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>LabelFgDummy</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF000000</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
    <a:Key>Name</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
```

```
- <a:KeyValueOfstringanyType>
  <a:Key>Visibility</a:Key>
  <a:Value i:type="b:Visibility"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Visible</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>HyperLink</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">http://</a:Value>
</a:KeyValueOfstringanyType>
</Attributes>
<Constraints>Default</Constraints>
<GroupId i:nil="true" />
<IsSelected>false</IsSelected>
<PortColT i:nil="true" />
<Ports />
<SourceId i:nil="true" />
- <SourcePoint xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>310</a:_x>
  <a:_y>185</a:_y>
</SourcePoint>
<SourcePortId i:nil="true" />
<TargetId i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">2194f31d-daf7-46ba-
  aae9-fa4242c747ed</TargetId>
- <TargetPoint xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>420</a:_x>
  <a:_y>185</a:_y>
</TargetPoint>
<TargetPortId i:nil="true" />
<ZIndex>0</ZIndex>
</Connector>
- <Connector>
  <ID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">c8823d0c-ec73-4b16-
    9da3-414b628647fc</ID>
  <InternalID i:nil="true" />
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.ConnectorVM, DiagramBuilder</Type>
  <AnnotationColT>System.Collections.Generic.List`1[[Syncfusion.UI.Xaml.Diagram.Controls.IAnnotation,
    Syncfusion.SfDiagram.Wpf]], mscorelib</AnnotationColT>
- <Annotations>
  - <Annotation>
    <ID i:nil="true" />
    <InternalID i:nil="true" />
    <Raw i:nil="true" />
    <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
    <Alignment>Center</Alignment>
    <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
    <Content i:nil="true" />
    <HorizontalAlignment>Center</HorizontalAlignment>
    <VerticalAlignment>Center</VerticalAlignment>
  </Annotation>
  - <Annotation>
    <ID i:nil="true" />
    <InternalID i:nil="true" />
    <Raw i:nil="true" />
    <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
    <Alignment>Center</Alignment>
    <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
    <Content i:nil="true" />
    <HorizontalAlignment>Center</HorizontalAlignment>
    <VerticalAlignment>Center</VerticalAlignment>
  </Annotation>
</Annotations>
- <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays">
  - <a:KeyValueOfstringanyType>
    <a:Key>SourceCap</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">M0,0 z</a:Value>
  </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Decorator</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">M0,0 z</a:Value>
  </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>TargetCap</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">M0,0 L10,5 L0,10 L
      0,0</a:Value>
  </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Type</a:Key>
```

```
<a:Value i:type="b:ConnectType"
  xmlns:b="http://schemas.datacontract.org/2004/07/DiagramBuilder.ViewModel">Orthogonal</a:Value>
-<a:KeyValueOfstringanyType>
  <a:Key>StrokeDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF7F7F7F</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>Thickness</a:Key>
  <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>DashDot</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">1, 0</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>Opacity</a:Key>
  <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>Label</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>FontSize</a:Key>
  <a:Value i:type="b:int" xmlns:b="http://www.w3.org/2001/XMLSchema">14</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>FontWeight</a:Key>
  <a:Value i:type="b:FontWeight" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>FontStyle</a:Key>
  <a:Value i:type="b:FontStyle" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>Bold</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>Italic</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>TextAlignment</a:Key>
  <a:Value i:type="b:TextAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>LabelHAlign</a:Key>
  <a:Value i:type="b:HorizontalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>LabelVAlign</a:Key>
  <a:Value i:type="b:VerticalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>LabelMargin</a:Key>
  -<a:Value i:type="b:Thickness" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">
    <b:Bottom>5</b:Bottom>
    <b:Left>5</b:Left>
    <b:Right>5</b:Right>
    <b:Top>5</b:Top>
  </a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>LabelBgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#00FFFFFF</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>LabelFgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF000000</a:Value>
</a:KeyValueOfstringanyType>
-<a:KeyValueOfstringanyType>
  <a:Key>Name</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
```

```
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Visibility</a:Key>
  <a:Value i:type="b:Visibility">
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Visible</a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>HyperLink</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">http://</a:Value>
  </a:KeyValueOfstringanyType>
</Attributes>
<Constraints>Default</Constraints>
<GroupId i:nil="true" />
<IsSelected>false</IsSelected>
<PortColT i:nil="true" />
<Ports />
<SourceId i:nil="true" />
- <SourcePoint xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>470</a:_x>
  <a:_y>185</a:_y>
</SourcePoint>
<SourcePortId i:nil="true" />
<TargetId i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">90e48e73-f781-4fc5-97ad-6f10caf6841f</TargetId>
- <TargetPoint xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>600</a:_x>
  <a:_y>185</a:_y>
</TargetPoint>
<TargetPortId i:nil="true" />
<ZIndex>0</ZIndex>
</Connector>
</Connectors>
<Constraints>Zoomable PannableX PannableY PanRailsX PanRailsY Undoable Relationship Events AutoScroll Selectable Draggable Connectable Drop Resizable Rotatable ContextMenu Commands DrawingTool</Constraints>
<CurrentZoom>1</CurrentZoom>
<DrawingTool>None</DrawingTool>
<Groups />
<HorizontalOffset>0</HorizontalOffset>
<MultipleSelectionMode>Default</MultipleSelectionMode>
- <Nodes>
- <Node>
  <ID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">5f652147-00c6-4f4c-8111-c60f12f8a1ea</ID>
  <InternalID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">2194f31d-daf7-46ba-aae9-fa4242c747ed</InternalID>
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.NodeVM, DiagramBuilder</Type>
  <AnnotationColT>System.Collections.Generic.List`1[[Syncfusion.UI.Xaml.Diagram.Controls.IAnnotation, Syncfusion.SfDiagram.Wpf]], mscorelib</AnnotationColT>
- <Annotations>
- <Annotation>
  <ID i:nil="true" />
  <InternalID i:nil="true" />
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
  <Alignment>Center</Alignment>
  <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
  <Content i:nil="true" />
  <HorizontalAlignment>Center</HorizontalAlignment>
  <VerticalAlignment>Center</VerticalAlignment>
</Annotation>
- <Annotation>
  <ID i:nil="true" />
  <InternalID i:nil="true" />
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
  <Alignment>Center</Alignment>
  <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
  <Content i:nil="true" />
  <HorizontalAlignment>Center</HorizontalAlignment>
  <VerticalAlignment>Center</VerticalAlignment>
</Annotation>
</Annotations>
- <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
- <a:KeyValueOfstringanyType>
  <a:Key>FillDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FFFFFF00</a:Value>
  </a:KeyValueOfstringanyType>
```

```
- <a:KeyValueOfstringanyType>
  <a:Key>AllowDrag</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AllowResize</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AllowRotate</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AspectRatio</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>StrokeDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF4F81BD</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Thickness</a:Key>
  <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>DashDot</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">1, 0</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Opacity</a:Key>
  <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Label</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FontSize</a:Key>
  <a:Value i:type="b:int" xmlns:b="http://www.w3.org/2001/XMLSchema">14</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FontWeight</a:Key>
  <a:Value i:type="b:FontWeight" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FontStyle</a:Key>
  <a:Value i:type="b:FontStyle" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Bold</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Italic</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>TextAlignment</a:Key>
  <a:Value i:type="b:TextAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelHAlign</a:Key>
  <a:Value i:type="b:HorizontalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelVAlign</a:Key>
  <a:Value i:type="b:VerticalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelMargin</a:Key>
  - <a:Value i:type="b:Thickness" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">
    <b:Bottom>5</b:Bottom>
    <b:Left>5</b:Left>
    <b:Right>5</b:Right>
    <b:Top>5</b:Top>
```

```
<D.Top>3</D.Top>
</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelBgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#00FFFFFF</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelFgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF000000</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Name</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Visibility</a:Key>
  <a:Value i:type="b:Visibility"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Visible</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>HyperLink</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">http://</a:Value>
</a:KeyValueOfstringanyType>
</Attributes>
<Constraints>Default</Constraints>
<Flip>None</Flip>
<Geometry>M98.7319,196.4653L81.1579,178.8923 81.1579,154.0393 98.7319,136.4653 123.5849,136.4653
141.1579,154.0393 141.1579,178.8923 123.5849,196.4653 98.7319,196.4653z</Geometry>
<GroupId i:nil="true" />
<Height>50</Height>
<IsSelected>false</IsSelected>
<MaxHeight>INF</MaxHeight>
<MaxWidth>INF</MaxWidth>
<MinHeight>0</MinHeight>
<MinWidth>0</MinWidth>
<OffsetX>445</OffsetX>
<OffsetY>185</OffsetY>
- <Pivot xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>0.5</a:_x>
  <a:_y>0.5</a:_y>
</Pivot>
<PortColT i:nil="true" />
<Ports />
<RotateAngle>0</RotateAngle>
<ShapeStyle i:nil="true" />
<Width>50</Width>
<ZIndex>0</ZIndex>
</Node>
- <Node>
  <ID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">87b6fac1-78a1-4fa0-b72e-640a10725560</ID>
  <InternalID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">eaf711cc-1ac9-47dd-b12e-553b5ec8cd33</InternalID>
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.NodeVM, DiagramBuilder</Type>
  <AnnotationColT>System.Collections.Generic.List`1[[Syncfusion.UI.Xaml.Diagram.Controls.IAnnotation,
Syncfusion.SfDiagram.Wpf]], mscorelib</AnnotationColT>
- <Annotations>
  - <Annotation>
    <ID i:nil="true" />
    <InternalID i:nil="true" />
    <Raw i:nil="true" />
    <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
    <Alignment>Center</Alignment>
    <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
    <Content i:nil="true" />
    <HorizontalAlignment>Center</HorizontalAlignment>
    <VerticalAlignment>Center</VerticalAlignment>
  </Annotation>
  - <Annotation>
    <ID i:nil="true" />
    <InternalID i:nil="true" />
    <Raw i:nil="true" />
    <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
    <Alignment>Center</Alignment>
    <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
    <Content i:nil="true" />
    <HorizontalAlignContent>Center</HorizontalAlignContent>
```

```
<HorizontalAlignment>Center</HorizontalAlignment>
<VerticalAlignment>Center</VerticalAlignment>
</Annotation>
</Annotations>
- <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays">
- <a:KeyValueOfstringanyType>
  <a:Key>Visibility</a:Key>
  <a:Value i:type="b:Visibility"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Visible</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FillDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF008000</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AllowDrag</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AllowResize</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AllowRotate</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>AspectRatio</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>StrokeDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF7F7F7F</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Thickness</a:Key>
  <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>DashDot</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">1, 0</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Opacity</a:Key>
  <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Label</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FontSize</a:Key>
  <a:Value i:type="b:int" xmlns:b="http://www.w3.org/2001/XMLSchema">14</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FontWeight</a:Key>
  <a:Value i:type="b:FontWeight" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>FontStyle</a:Key>
  <a:Value i:type="b:FontStyle" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Bold</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Italic</a:Key>
  <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>TextAlignment</a:Key>
  <a:Value i:type="b:TextAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelHAlign</a:Key>
  <a:Value i:type="b:HorizontalAlignment"
```

```
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelVAlign</a:Key>
  <a:Value i:type="b:VerticalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelMargin</a:Key>
- <a:Value i:type="b:Thickness" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">
  <b:Bottom>5</b:Bottom>
  <b:Left>5</b:Left>
  <b:Right>5</b:Right>
  <b:Top>5</b:Top>
</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelBgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#00FFFFFF</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelFgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF000000</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Name</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>HyperLink</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">http://</a:Value>
</a:KeyValueOfstringanyType>
</Attributes>
<Constraints>Default</Constraints>
<Flip>None</Flip>
<Geometry>M14.5,0.5C22.232,0.5 28.5,6.768 28.5,14.5 28.5,20.5406 24.6743,25.6877
19.3137,27.6505L19.2503,27.6728 18.9902,27.7644C17.5807,28.2414 16.0706,28.5 14.5,28.5 6.768,28.5
0.5,22.232 0.5,14.5 0.5,8.58019 4.17419,3.51855 9.36655,1.47109 10.9561,0.844312 12.6878,0.5
14.5,0.5z</Geometry>
<GroupId i:nil="true" />
<Height>50</Height>
<IsSelected>false</IsSelected>
<MaxHeight>INF</MaxHeight>
<MaxWidth>INF</MaxWidth>
<MinHeight>0</MinHeight>
<MinWidth>0</MinWidth>
<OffsetX>285</OffsetX>
<OffsetY>185</OffsetY>
- <Pivot xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>0.5</a:_x>
  <a:_y>0.5</a:_y>
</Pivot>
<PortColT i:nil="true" />
<Ports />
<RotateAngle>0</RotateAngle>
<ShapeStyle i:nil="true" />
<Width>50</Width>
<ZIndex>0</ZIndex>
</Node>
- <Node>
  <ID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">e2297462-3cf2-4f34-9dbb-
    b36adbc2e1fc</ID>
  <InternalID i:type="a:guid" xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/">90e48e73-f781-
    4fc5-97ad-6f10caf6841f</InternalID>
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.NodeVM, DiagramBuilder</Type>
  <AnnotationColT>System.Collections.Generic.List`1[[Syncfusion.UI.Xaml.Diagram.Controls.IAnnotation,
    Syncfusion.SfDiagram.Wpf]], mscorelib</AnnotationColT>
- <Annotations>
  - <Annotation>
    <ID i:nil="true" />
    <InternalID i:nil="true" />
    <Raw i:nil="true" />
    <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
    <Alignment>Center</Alignment>
    <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
    <Content i:nil="true" />
    <HorizontalAlignment>Center</HorizontalAlignment>
```

```
<VerticalAlignment>Center</VerticalAlignment>
</Annotation>
- <Annotation>
  <ID i:nil="true" />
  <InternalID i:nil="true" />
  <Raw i:nil="true" />
  <Type>DiagramBuilder.ViewModel.LabelVM, DiagramBuilder</Type>
  <Alignment>Center</Alignment>
  <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
  <Content i:nil="true" />
  <HorizontalAlignment>Center</HorizontalAlignment>
  <VerticalAlignment>Center</VerticalAlignment>
</Annotation>
</Annotations>
- <Attributes xmlns:a="http://schemas.microsoft.com/2003/10/Serialization/Arrays">
  - <a:KeyValueOfstringanyType>
    <a:Key>Visibility</a:Key>
    <a:Value i:type="b:Visibility"
      xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Visible</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>FillDummy</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FFFF0000</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>AllowDrag</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>AllowResize</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>AllowRotate</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">true</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>AspectRatio</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>StrokeDummy</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF7F7F7F</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Thickness</a:Key>
    <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>DashDot</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">1, 0</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Opacity</a:Key>
    <a:Value i:type="b:double" xmlns:b="http://www.w3.org/2001/XMLSchema">1</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Label</a:Key>
    <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>FontSize</a:Key>
    <a:Value i:type="b:int" xmlns:b="http://www.w3.org/2001/XMLSchema">14</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>FontWeight</a:Key>
    <a:Value i:type="b:FontWeight" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>FontStyle</a:Key>
    <a:Value i:type="b:FontStyle" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows" />
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Bold</a:Key>
    <a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
    </a:KeyValueOfstringanyType>
  - <a:KeyValueOfstringanyType>
    <a:Key>Italic</a:Key>
```

```
<a:Value i:type="b:boolean" xmlns:b="http://www.w3.org/2001/XMLSchema">false</a:Value>
</a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>TextAlignment</a:Key>
  <a:Value i:type="b:TextAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelHAlign</a:Key>
  <a:Value i:type="b:HorizontalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelVAlign</a:Key>
  <a:Value i:type="b:VerticalAlignment"
    xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">Center</a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelMargin</a:Key>
  - <a:Value i:type="b:Thickness" xmlns:b="http://schemas.datacontract.org/2004/07/System.Windows">
    <b:Bottom>5</b:Bottom>
    <b:Left>5</b:Left>
    <b:Right>5</b:Right>
    <b:Top>5</b:Top>
  </a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelBgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#00FFFFFF</a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>LabelFgDummy</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">#FF000000</a:Value>
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>Name</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema" />
  </a:KeyValueOfstringanyType>
- <a:KeyValueOfstringanyType>
  <a:Key>HyperLink</a:Key>
  <a:Value i:type="b:string" xmlns:b="http://www.w3.org/2001/XMLSchema">http://</a:Value>
  </a:KeyValueOfstringanyType>
</Attributes>
<Constraints>Default</Constraints>
<Flip>None</Flip>
<Geometry>M14.5,0.5C22.232,0.5 28.5,6.768 28.5,14.5 28.5,20.5406 24.6743,25.6877
19.3137,27.6505L19.2503,27.6728 18.9902,27.7644C17.5807,28.2414 16.0706,28.5 14.5,28.5 6.768,28.5
0.5,22.232 0.5,14.5 0.5,8.58019 4.17419,3.51855 9.36655,1.47109 10.9561,0.844312 12.6878,0.5
14.5,0.5z</Geometry>
<GroupId i:nil="true" />
<Height>50</Height>
<IsSelected>false</IsSelected>
<MaxHeight>INF</MaxHeight>
<MaxWidth>INF</MaxWidth>
<MinHeight>0</MinHeight>
<MinWidth>0</MinWidth>
<OffsetX>625</OffsetX>
<OffsetY>185</OffsetY>
- <Pivot xmlns:a="http://schemas.datacontract.org/2004/07/System.Windows">
  <a:_x>0.5</a:_x>
  <a:_y>0.5</a:_y>
</Pivot>
<PortColT i:nil="true" />
<Ports />
<RotateAngle>0</RotateAngle>
<ShapeStyle i:nil="true" />
<Width>50</Width>
<ZIndex>0</ZIndex>
</Node>
</Nodes>
<Tool>MultipleSelect</Tool>
- <V xmlns:a="http://schemas.datacontract.org/2004/07/System">
  <a:_Build>0</a:_Build>
  <a:_Major>12</a:_Major>
  <a:_Minor>2045</a:_Minor>
  <a:_Revision>1</a:_Revision>
</V>
<VerticalOffset>0</VerticalOffset>
```

</Graph>

